SUPPLEMENT TO

The Gazette



of Andra

No. 24]

NEW DELHI, SATURDAY, JULY 4, 1959/ASADHA 13, 1881

OFFICIAL PAPERS

Reported attacks and deaths from cholers, smallpox, plague and typhus in districts in India during the week ending the 6th June, 1959

	CHOL	HRA.	SMAL	LPOX	PLAG		om june, 1939	Сно	LERA	SMAI	T POX	PLA	GU⊦
	C.	D.	C.	D.	C.	D.		C.	Ú.	С	D	C_{i}	D.
		_					3.5						
	Andhr	'N.R.						adres-	—çontec	7.			
		raee im					Madurai	••	••	5	I	• •	• •
		N. R.					Ramanathapuram .	••	••	5	• •	••	••
		Bihar					Salem	••	••	10	2	••	
		N. R.'					Coimbatore	••	••	•	I	••	•-
		ombay					The Nilgris .	••	••	IO	••	••	••
Greater Borabay .		•••		3			Kanya Kumari	••	• •	Ţ	••	••	••
Panchmahals .	226	35		••	••	••	TOTAL .	••	• •	59	6	•-	
Ahmednagar		••	15	I		••	Total for w/e 30-5-59			60	21	••	
East Khandesh .				ı			Total for w/c 23-5-59			78	25	••	
Nasik			4	I		••			_				
Poons		• •	4		••			Man	ipur				
Sholepur			I	••	••	••	TOTAL	••	••	••	• •	••	••
Wast Khandesk .	••	••	2			• •	Total for w/e 30-5-59	••	••	••	• •	••	
Bhandara			13	3			Tetal for w/c 23-5-59	••	••	••	••	••	••
TOTAL	226	35	48	9	••	••			Myson	re			
Total for w/e 30-5-59	319	64	39	6	••	••		(4)	N.R."				
Total for w/e 23-5-59	43	18	35	7		••		()rises				
		Delhi	ŀ										
		N . R.	,				Puri	••	••	6	• •	••	•
R	imach	al Fra	deeh				Ganjam		• •	2	2	• •	•
Promot							Koraput	• •	••	II	5	• •	• •
TOTAL .	•,	••	••	••	••	••	Sambalpur	••	••	36	4	• •	
Total for w/c 30-5-59	. •	••	• •		••	••	Sundergerh			4	3		••
Total for w/c 23-5-59	••	••	••	••	••	••	Keonjhar			3	-		
		erela						••	••		-	••	• •
	"¶	y,R,"					Bolangir	•	••	104	17	••	•
N	iadhy	Pre	dosh				Khondmale	••	••	••	2	• •	• •
	66)	N.R."					Mayurbhani	••	• •	10	4	••	
	M	adras					Kalahandi	••	• •	172	88		••
Madras City • ·		-•	7	••	••	••	TOTAL .			348	125		
Chingleput	••	• •	3	I	••	••	mant for the same of	•	_		7.00		
South Arcot .	••	• •	7	1	•-	• •	Total for w/c 30-5-59	13	6	248	129	^ -	•
Tenjore		••	2	••	••		Total for w/c 23-5-59 Shi: "N.R." - Inform	4	2	298	57	•	, •

Explanation of Symbols used;— G. - Cases ; D. - Deaths; . - Est; "N. R." - Information not received.

Reported attacks and deaths from Cholera, Smallpox, Plague and Typhus in districts in India during the week ending the 6th June, 1959—contd.

	0				ante, 1939—comu.	_
	Cholera C. D.	SMALLPOX C. D.	PLAC C.	оњ D.	CHOLERA SMALLPOX PLAGU C. D. C. D. C. D.	
	Pondicher		٠.	2.	Uttar Pradesh-comd.	
Total .	••				Pilibhit 4 I	
Total for w/e 30-5-59		6 і	••	••	Rampur	
Total for w/e 23-5-59		••	-	••	Saharanpur 4 I	
	Punjab				Sltapui	
Hissar		2	••	• •	Tehri Garhwal	
Ambala	••	ı	••	••	Varanasi 2	•
Ludhiana		ı	• •	••	TOTAL 3 96 37	
Patiala	* * ***	I	••	•	Total for w/c 30-5-59 6 109 53	
Sangrur · .		5 2	••	•	Total for w/e 23-5-59 2 100 36	
TOTAL .		7 5	••	••	West Bengal	
Total for w/e 30-5-59	••	6 4	e-n	• •	"N. R. "	
Total for w/e 23-5-59	••	12 2	••	••	Total for India (excluding	
	Rajasthan				Andhra Pradesh, Assam, Bihar,	
	"N. R."				Delhi, Kerala, Madhya, Pradesh,	
	Tripura				Mysore Rajasthan and West Bengal 229 35 558 182	•
_	_				Corresponding total for w/c	
TOTAL	** **	••	• •	••	30-5-59 . 338 70 468 214	•
Total for w/e 30-5-59	••	••	••	••	Corresponding total for w/e	
Total for w/e 23-5-59	•• •	• •• ••	••	•	23-5-59 . 52 21 523 127	• •
	Uttar Prade	₽ħ				
Allahabad	••	2 1	••	•	ARREAR INFORMATION	
Almora		7 3	**		Kerala	
Bareilly	••	4		••	w/e 9-5-59	
Ballia	••	I I	•••	••	man a	
Bijnor	••	12 5	••	••	Dalahan	
Dehra Dun	•• ••	6	••	••	3	٠,
Deoria		2 2	••	••	TOTAL 47 22	
Etawah		5 I	••	••	w/o 16-5-59	
Farrukhabad		1			Trivandrum 2	
Faizabad	••	12 4	••	••	Quilon	
Kanpur	••	3 2		••	Kottayam	
Kheri	•• ••	4 1			Po I A	
Lucknow	3	ı		••	Det. Los	
Moradabad		5 2	• •	••	Cannanore	٠.
Muzaffarnagar .	••	3 6	• •	*:	- · · · · · · · · · · · · · · · · · · ·	
Explanation of	symbols used:	-C Cases	D.=D	eaths	Nil; "N.R."-Information not received,	

Reported attacks and Jeaths from cholera smallpox, plague and typhus, in districts in India during the veek ending the 6th June, 1959-concld.

			Cho	LBPA	SMA	LLPOX	PL	AGUE				Сно	LUFA	SMAI	LLPOX	PL	A GC B
			C.	D.	C.	D.	C.	D.				G.	D.	C.	D.	C	۵.
			Ker	ele-	-contd							R	njastha	ın			
			Ø.	/e 23-	5- 59							w/	30-5-	59			
Quilon .					_				Jaipur					1	2	••	••
-	•	•	••	••	I	••	• •	••	Alwar	•				31	8	••	••
Kottayam	•	•	••	• •	I	• •	• •	••	Bundi				••	11			
Trichur	•	•	••	• •	II	6				TOTAL		••		33	10	••	••
Paighet .	•		••	••	I	2						Rem	ARKS:				
Cannanore		•		••	5	I		• •	<i>Cho</i> Panchr	<i>lera</i> —Epi nahals dis	den	ic co	nditio Bomba	ns wo y Stat	ere rep e.	porte	l from
TOTAL			• •		19	9	••	••	Sm ₀ from B	<i>illpox</i> :— alangir ar	Epid Id K	demi (alah	c cor Andi D	idition District	s wer	re re _l Orissa	ported State.

Explanation of symbols used;—C. - Cases; D-Deaths; — - Nil. "N.R."—Information not received.

NEW DELHI-2 (INDIA); The 29th June, 1959.

H. R. SHARMA

for Registrar General, India:

NOTE :-

Epidemic=100 cases or more per million of population per week. Heavy=50-100 Cases per million of population per week.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S

Small Savings Scheme

and help India's

- COMMUNITY DEVELOPMENT PROGRAMMS
 GREAT RIVER VALLEY PROJECTS
 SOCIAL WELFARE SCHEMES

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL PLAN SAVINGS CERTIFICATES	Interest at 5.41 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/ Individual holding up to Rs. 25,000/
I0-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	4 per cent interest paid annually. Available in multiples of Rs. 50/- upto Rs. 25,000/ Individual holding upto Rs. 25,000/
POST OFFICE SAVINGS BANK ACCOUNTS	2½ per cent interest added on deposits upto Rs. 10,000/- and 2 per cent on balance upto Rs. 15,000/

IS-YEAR ANNUITY CERTIFICATES

Issue Prices: Rs. 3,325/-, Rs. 6 650/-, Rs. 13,300/-, & Rs. 28,000/-

Refunded together with compound interest at 4.25 per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and for rules governing these investments please write to the National Savings Commissioner, Nagpur or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959.

										Deaths	from	t—		_		
	T	OWD 5	١	Mid-ye Popn. (000)	Est.	в. в	,R.*	C.	s.	Ρ.	F.	D,D.	R,D. M.	D. Total	D.R.*	ı.D.
A	ndbra :	Prac	leeh					"	N.R."							
A								**	N.R."							
В	ihar							16	N.R."							
В	embey							•	'N.R."							
D	elhi							•	'N.R."							
K	orela							•	'n.R."							
М	edhys l	Prad	losh					"	'N.R.''							
M	adres															
Ambur	.•			48	23				••	ı	3			11	11 9	5 7
Arrupuko Bodinayal			•	64 43	22 20			••	••	2 1	1 2			21 8	9·7	7 3
Chidamba				44	50	5 9• 1		••		••		1	: I	9	10.6	3
Coimbate Cuddalor	e .		•	7 7	59	39.8	• • •			3		3	I	26	17.6	7
Dindigul				103	46 18	23.2				3	I	I. 2		13	6.6	7
Brode Gobicheti	paleyan	1	•	79 51	11			••	••	• •				7 2	4·6 2·0	••
Gudiyatta	m.		•	60	42	36.4			•	٠.	4	<i>:</i> :	-:	15	13.0	4
Kancheep Karaikudi	i .		•	94 49	72 50	5 3·1		• •	••	ï		14 1		35 7	19·4 7·4	
Karur				60	38	32.9				. 2	1			13	10·4 11·8	5 3
Kumbako Madras C		:	:	2,110	82 1,038	35·8	• • •	ĭ	• •	69	18 1	 145	I	27 54 5	11·8 13·4	16 5
Madural '	t															
Mayuram Maliapala	•		:	55 44	60 13	56·7 15·4	••	••	• •	2 1	• •		••	12 8	9.2	1 3
Nagapatti	nem			62	59	49.5	, .			2	5			14	11.7	ı
Nagercoil Ootacumu	md.		:	113 54	71 54	33·1	••		••	• •	2	2 2	••	15 16	6·9 15·4	2
Palni .				46	34	38.4				2		I	••	9	10.3	ı
Palayamko Periyakula	ottai un			50 36	64 14	66·6 20·2		• •	• •	4	3	1 3	••	28	26·0 15·9	6 5
Pollachi	•			63	24	19.8				ı	1	_			10.7	
Pudukotta Rajapalaya		•	:	56 77	49 68	45.5 45.9	••	•••	•••	2 8	-:	3 6 2	••	20	18·6 14·9	1 1 3
		•	•		160					6	8					
Salom . Sriangam Spivilliput		:	:	293 48 46	II	28·4 11·9 48·6	::	• • •	••	,. I		14 2 1		7	7.6	15 1
	ett.	•	•	-	43	_	••	••	••		••		••	-	10 2	4
Tanjore Tiruchira Tirunalve	palli li †	:	:	138 285	65 184	33·6	••	••	••	7	::	3 4	3 I	38 46	8·4 8·4	8 6
Tiruppur				7 7	60	40.5	• •	••		2	4	4	••		12.2	3
Tiruvanna Turicorin	melai	:	:	48 1 24	37 96	40'I	::	••	••	1 2	3	1 01	I	9 36	9·7 1 5 ·1	5 7
Vaniyamb	adi			46	43	48.6	·	••		- <u>-</u>	2				12.4	4
Vellore Villapurar		:		147 42	121 39			••	::		4 1			51 6	18.0	11 4
Virudhuns	ager		•	59	138	121.6				I	1	r	••	18	15-9	5
Тот	AL .			5,010	3,078	31.9	••	1		130	138	248	15	1,216	12.6	312

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infautile Deaths (included in total deaths);..—Nil Information; N.R.—Information not received.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—contd.

						,	_ , ,,		Death	s from	:- <u> </u>				
	Towr	ı	Mid-year Popn, Est (000)		B.R.*	c.`	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Му	ore														
Bengalore Mysore Kolar Gold	: Fields	<u>:</u> :	1,258 364	503 1 5 6	20·7 22·2	::		::	 7	32 5	43 5	••	254 52	10·4 7·4	7
Bellary Davangere Shimoga†		•	85 86	55 38	33.7 22.9		••	•••	3 7			••	29 15	17·7 9·1	
Bhadrayati† Hospet Tumkur	· •	:	- 54 - 54	2 5	24·0 	••	••		·. 6	2 	••		5 8	4*8 7*7	••
Koler Chitaldrug† Hassan†	•	•	. 40	2	2.6	• •		••	I	• •	••	••	I	1.3	••
Bidar† Gulberga† Raichur†															
Bijapur† Belgaum Dharwar†		•	114	101	46.0	• •	• •	• •	7	••	• •		48	21-8	
Bagalkot Mangalore Gadag Bete	gero	: :	40 159 74	30 142 41	39·0 46·4 27·4	•••	 2	··· ···	2 3 7	 	 1	2	10 18 24	10.8 2.9 13.0	 2 I
Hublit			0												
10	TAL .	•	2,328	1,093	24 *4	••	3	• •	43	45	53	4	464	10.4	13
	Orissa			٠.											
Behrampur Cuttack Puri	:		84 134 57	64 97 39	39·7 37·8 35·5	••	3	••	1 7 5	4 7 4	4 11 		22 44 36	13·6 17·2 32·8	5 6 8
TOTAL	•		275	200	38.0	••	3	••	13	15	15	I	102	19.4	19
P	ondict	erry	68	99	75.7	• •	••		4	3	5	4	21	16.0	12
I	Punjab	•													
Ambala Amritsar Batala	:	: :	63 367 6 8	37 152 27	30·6 21·6 20·7	•••		••	 3	1 3	18 2	ĭ	10 64 11	8·3 9·1 8·4	4 14 2
Bhlwani Perozepur Hissar	•	: :	60 48 42	4I 21 12	35·6 22·8 14·9	• •	2 I	••	7 1 5	 I	2 1 2		22 11 10	19. 1 11.9 12.4	4 2 2
Hoshiarpur Juliundur	•	• ;	56	26	24.5		••		4	1	••	••	12	11.3	2
Kernel	•	• •	87	47	28.2	••	••	• •	3	••	••	••	10	6.0	4
Ludhiana Moga Panipat		· ·	200 46 7 5	135 23 29	35·2 26·1 20 2		••	••	13 4 2	···	I	••	47 15 4	12·3 17·0 2.8	14 3
Pathankot Rewari Rohtak†	:	: :	38 37	26 19	35·7 26·8	::	::	::	1 5	::	ï	••	2 10	2·7 14·1	
Simla Sonepat†	•		54	30	29.0	•:	••	••	••	••	••	••	2	1.9	••
Bhtianda	•		4 7	12	13.3	••	••	••	2	••	r	••	9	10.0	2
Malerkotla Patiala	•	:	36 1 2 9	23 20	8.1 33.3	::	::	••	4 10	••	I	••	5 27	7·2 10·9	ii
		TOTAL	1,453	680	24.4		3		70	6	44	I	271	9.7	66

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevera; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile deaths(included in total deaths);—Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—cond.

						_	I	Deaths	from :						
	Town		Mid-year opn. Est. (000)	В.	B.R.*	С.	s.	Р.	F.	D.D.	R.D.	M.D.	Total	D.R.'	I.Đ.
	Rojesti	18N													
Almer Alwar Beawar		· •	. 250 . 61 . 67	77 21 9	16:0 17:9 7.0	::	••		8 9	ĭ		••	33 10 16	6·9 8.5 12·4	3 3 6
Bharatpur Bikaner	†		. 118	25	11.0				3	I	8		19	8.4	2
Churu	•	•	- 54	1	3.9	•••	••	•••		••		••			••
Ganganag Jaipur Jodhpur†	er† •	•	• 443	67	719	••	••	••	43	4	5	••	86	10.0	22
Kotah† Sikar Tonk†	•	•	. 5 7	3	2.7	••	••	••	••	••	••	••	I	0.9	
Udaipur			125	I	0.4	••	••	••	τ		ĭ	••	. 6	2.5	••
	TOTAL		1175	207	9.2	••	••	••	64	6	19	••	171	7.6	36
τ	ttar Prade	sh													
Agra Allahabad Amroha	: :	:	414 381 62	450 160 46	56·7 21·9 38·7	••	•••	••	11 	4 1 1	54 21 2	••	102 55 2 8	12·8 7·5 23·5	28 14 8
Bahraich Banaras Banda†	: :	:	40 426	17 233	18·1 28·5	::	::	••	4 53	2	,20	••	152	18. 6 2.3	 19
Bareilly Basti† Ballia†	• •	•	206	58	14.7	. •	I	••	17	2	7	••	39	9.9	3
Bijnor Budaun Bulandsha	, , h r		33 55 45	7 25 6	11°1 23°7 6°9	:: ::	••		4 5 2	••	3 1	••	7 12 2	11·1 11·4 2.3	1 4
Chandausi Dehra Dui Etawah†		•	45 187	31 51	35·9 14·2	••	ï	::	9 2	· · · · · · · · · · · · · · · · · · ·	4 3	::	19 23	0·4 6·4	8 2
Faizabad-A Farukhaba Firozabad	Ayodh ya d-Fatchgarh		97 79 95	14 28 35	7·5 19·5 19·2		r 3	••	1 6 	 	і 6 	:: ::	6 15 4	3·2 9·9 21·4	; ::
Ghazipur Ghaziabad			36	7	10.1		••	••	3	••	I	••	6	8.7	1
Gonda		•	36	8	11.6	••	••		I	• •	••	••	2	3.9	••
Gorakhpur Hapur Hardwar		:	155 67 76	100 15 25	33·6 11·7 17 1	::	 	::	8 19 17	 	5 1 4	••	27 21 34	23·3 16·3 9·1	4 11 10
Haldwani- Hathras Jaunpur	cum-Kathgoo	lam†	66 60	22 25	17·4 21·7				4 3	3	3 3	::	14 10	11·1 8·7	3 I
Jhansi Kanpur Kasganj†	: :	:	135 8 42	67 244	25.3 16.3	••	••	••	21 89	23	 43	5	27 274	17· 0	8 5 5
Khurja Koll-Aliga Lucknow		:	41 171 539	9 29 113	11.4 8.8 10.9	•••	••	••	5 11 13	 	 4 7	••	7 23 79	8.9 7.6 7.6	1 3 19
Mathura Mau-Nath Meerut	Bhanjan	:	121 40 203	48 24 112	20·7 31·3 28·8		••	**	14 7 7	3 2 2	11 3	 3	39 12 17	16·8 15·6 4·4	8 1 4

[&]quot;In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and Deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—contd.

						_			Death	s from	:				
Towns	ŀ		Mid-year Popn. Est (000)	. В.	B.R.*	c.	s.	Р.	F.	D.D.	R.D.	M,D.	Total	D.R.•	I.D.
τ	Jttar Pr	ade	h—contd.												
Mirzapur-Vindh Moradabad . Muzaffarnagar .	•	:	102 166 83	31 85 35	15·8 26·7 22·0	••		• •	14 22 12	 6 1	6 13 2	••	26 68 21	13.3 51.3	7 6 7
Pilibhit† Rampur Saharanpur	:	:	188	20 105	5° 5	••	••		3 34		••	••	8 46	2·2 13·1	1 17
Sambhal† Sitapur Shahjahanpur†	•	•	54	17	16.4				2		I	••	3	2.9	2
Tanda† Najibabad† Hardoi			36	20	29.0			••	2	I			12	17.4	6
Tot		•			21'9	••	••		42		229		1,245	11.6	263
10.	TAL .	·	5,565	2,342	-	 RREAR	···	··· ORM			243	J	13443	11 0	203
	Andhra	Pra	desh		Л		n/e 30-		1110,	· ·					
Adoui† Anantpur .			44	14	16.5		6		2	ı	I		19	22.5	3
Anakapalli	:	÷	52	47	47.0	• • •		••	ĵ	•		::	10	10.0	3
Bhimavaram .	•	•	43	28	33.9				2	ı ı	3		10	12.1	3
Chirala † Chittoor			51	79	80.6			٠.	1	. I	I	5	17	17.3	6
Cuddapah			47	96	106.2					3 2			12	13.3	I
Ellore Gudivada		:	112 41	79 17	36·7		••	• •		3 1 5 I			34 19	15·8 24·1	6 1
Guntur			175	57	16.9				4		2		38	11.3	4
Guntakal Kakipada			45	28	43 6]	. 2	3	I	14	21·8 6·5	21
1	• •	•	127	34	13.9	• •	••	• • •	•		. •	• •	16	0.2	4
Kurnoelt Masulipatnam			98	56	29.7							•:	9	4.8	ī
Nandyal .	•	•	41	43	54.5	• •	• •		•		•		25	31.7	5
Nellore Proddutur	:	•	47	82 41	38·4 45·3		• • • • • • • • • • • • • • • • • • • •	• •	1		4	1 2	18	14·0 19·9	13 3
Rajahmundry	•	•	140	59	21.9	• •	2	••	4	_			-	1 1·5 16·7	9
Tenali Vijayawada	•	:	78 271	82 93	54·7 17·9		I	• •	1:		I		35	6.7	8 9 8
Visakhapatnam		•	155	117	39.2		• •	• • •	1				63	31 · I	8
Viziangaram . Hyderabad† Warrangal†	•	•	83	45	28.2	••	••	••	i	5 2	3		24	15.0	5
Nizamabad†															
Kothagudiam Secunderabad	•		195	123	32.8				(5 I	7		31	8 - 3	9
7	TOTAL		1,956	1,220	32.4		9		6	7 23	56	13	483	12.8	103
	Bihar														
Arrah			75	4	2.8	100/6	23- 5	-59	:				2	1.4	٠.
Bettiah† Bhagalpur	_		136	20	7.7				6					11.9	
Bihar			7 I	5	3.7	••	• •	•	1	-				2.9	١.
Chapra		·	7 3	19	12.8	••	• •		4			••	15	1.7	4
Darbhanga	• •	•	100	9	4.7	* *	••		I		_	••		4.2	• -
Dhanbad Dinapur Gaya†		•	50 45		10.4	::			•		::	::		5.2	••
Hazaribagh Jamalpur Jamshedpur†	: :	:	44 49	12 2	14·2 2·1	••	••		• •		::		6 	7·1	
Katihar Monghyr† Muzaffarpur†		•	63	4	3.3	••	••	••	2	ı ı	••	••	3	2.2	
Patna . Ranchi .			384 167	61 33	8.3 10.3		··	••	I 15		••		20 31	2·7 9·7	••
*/=A***	TOTAL		1298	190	7•6	•••	2	••	32	5				5·2	••
	-									.			·-		

^{*}In cases of towns where there has been a abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†] Figures not available.

Replanation of Symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Pevers; D.D.—Dysentery and Diarrhoea; R.D.—Resolvatory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ...—Nil.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—contd.

Deaths from :--

											٠						
To) ₩ 'n	3		M Po	iid-year pn.Est, (000)	В.	B.R. *	C.	S.	P.	F.	D.D.	R.D.	M.D	Total	D.R.*	I.D.
Asse	m							w /	8 9-5-59	9							
Gauhati		i		•	60	24	21.1				5	1	I		12	10.3	1
Shillong† Dibrugarh					57	2	1.7								••		• •
Silchar				٠	62	30	26 I				3	1	I		` 14	11.5	3
T	OTA	L			179	56	16-3				8	2 ,	2,		26	7.6	4
	As	sam						w/e	16-5-	59							
Gauhati			-		60	20	17.7				5	3	1	I	25	22 · I	I
Shillong† Dibrugarh					5 7	4	3.7								1	0.9	•10
Silchar					62	36	31.5			•			1	1	7	6.3	1
		Tota	ıl		179	60	17.4				5	3	2	2	33	9.6	2
A	SBA	m						w/c	23-5-	59							
Gauhati	•				60	14	12.4			••	3	I	••		6	5.3	3
Shillong† Dibrugarh					5 7	1	0.9									. •	
Silchar					62	22	,19.5				3	2			Io	8.6	5
Tota	ıl	•			1,79	37	10.7		••		6	3			16	4.7	8
	An	am						w/e	30-5-	59							
Gauhati					60	11	9.5				7	2			. 26	23.0	2
Spillong† Dibrugarh					57	2	1.9				I			٠.	I	0.9	
Silchar					62	30	26.9		• •		4	I			5	9.1	••
To	tal				179	43	12.5				12	3			. 32	9.3	2
В	om	bay						T	/6 16-5	5-59							
Ahmedabad	1	•			1,001	402	20.9		1		1	5 11	1 13	o	367	19 I	135
Ahmednags Amalner	ar†		•	•	 55	28	26.4	٠	• •	• • • • • • • • • • • • • • • • • • • •		5				10.4	
Baroda -					277	188	35 · 2				29	·			80	15.0	25
Barsi Bhusawal		•	•	•	49 76	24 26	25·5 17·8	• •		• •	j	7 3		ı	18	9·0	4
		•	•	•	•			••	••			-			-		8
Broach . Cambay		•	:	:	69 43	56 24	42·2 29·4	• • •	•••	•••			3	7 ··· I 3			3
Chalisgaon		•	•	•	39	21	28.0	• •	••	••		5				6.6	5
Dhulia . Godhra .		•	•	:	105 42	52 33	25·8 40·9		• • •	••	I	3 ·		5 1 I	1 26 10		11 3
Greater E	30m	Ьау	•	•	4,671	1,779	19.8		3	••	:	2 6				9.1	202
Jalgaon					91	I 2	6.9				7			8 I 2		14.8	2
Kalyan Kolhapur		:	:	•	94 189	41 62	2 2· 7	• • •	::	• •	3	•		2 4		7·7 7·2	3 4
Malegaon					7 7	61	41.2				20	2		2 2	29	19.6	10
Miraj . Nadiad .		:	:	:	48 80	25 21	26 5 13·7	• • •	• •		i		•	 a		1 o 17·6	
Nandurba		_	_		39	19	- , ,					•		2 1	·	18.7	
Nasik .			:		153	99	33.6				18		. 4	٠. ١	39	13.3	3 8 2
Navsari .		•	•	•	54	47			• • •	••	4						
Pandharpu Patna	ŗ	:	:	•	48 50	3 <u>5</u> 3 <u>5</u>	5 36∙4	٠. ا	••	• •	4 2	٠.	1		11 18	19·5	
Poona	•		•	٠	727	236	16.2		3	, .	5	6	25	5	137	9.4	31
Sangli .		-		•	68	21		ι			2		_		12 12		2 2
Satara Sholapur			•	•	43 333	35 167		3 ··			30					15'7 21.6	
Surat					279	191	35•	6			26	5 g	3 9		99	18.4	ai.
Thana† Bhaynagar	•				177	89					12	2 1	7		52	15.2	19

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B. —Births; B.R. —Birth Rate; C. —Cholera; S.—Smallpox; P. —Plague; F.—Feveres D. D. Dysentery and Diarrhoea; R.D. —Respiratory Diseases; M.D. —Meternal Deaths; D.R.—Death Rate; I.D. —Infantil Deaths (in total deaths); ...—Nil Information. "N. R."-Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the veck ending the 6th June, 1959—corta.

Deaths from :-

									Jeanna .	r rom	!					
Town	18			Mid-vear Popn-Est (200)	В.	г. −-	C.	s.	Ρ,	q	D.D.	R,D	M.D.	Total	D.R.*	I.D.
Bom	bav	contd				τυ/ <i>ε</i>	в 16-5- _:	59 co	ntd.							
Dhoraii .	•		_	49	14	14.0		•		3	3	3		12	12 7	2
Jamnagar Junagarh	÷	•	•	143	19 27	6 9	::	I	::	5 4	ī 1	7	••	36 2 0	13 I 15 5	4 7
Morvi Porbander Gondal	:		:	4 4 69 4 3	10 12	9 0 	::	<i>:</i>		8 ••	 2	6	ï	2 2 9	2 3 21 9	 6
Rajkot Veraval Surendranaga	r .	÷	:	219 51 53	78 2 9	8.8 3.1 8.8	···	•	••	24 4 3		5 3 		63 11 5	15.0 4 9	27 3
Nagpur Achalpur Akola	:	:	•	624 40 121	329 18 103	27.4 23.4 44.3	• •	11	••	90 9 7	7 1 2	53 •• 2		37 14 3	30 9 18·2 13	126 2 12
Chanda† Gondia† Hinganghat		•	•	37	10	14.1				3				13	18 3	স
Khamgaon Wardha Yeotmal .	: :	: :	•	48 53 46	23 24 29	24.9 23.5 32.8	•			4 6 8	••	I 2		7 11 2 0	7·8 10 8 22 6	3 3 7
Kamptee† Amravati Aurangabad			:	116 83	57 8	25•6 5•0	••			14	. 2	4 2	I	55 7	24 7 4 4	6 2
Lathur . Nanded . Parbhani Jalna†	•	:	:	47 98 48	16 10	10 3 8.2	••	••	•	 3 3	2 	1	••	2 8 10	2 2 4·2 10 3	••
-, .	Fotal		-	11,076	4,657	21 8		2 τ	••	44	ļ5 I 3	1 4	94 12	2, 792	13.1	769
Box	mbay						10 /	e 23-5	-59							
Ahmedaba i Ahme biagar Ama ner				1001 112 55	529 57 13	27.5 26.5 12.2	•••	-		16 2 5	2	-	6 ;	178 24 14	11.1	55 1 6 1
Baroda Barsi Bhusawa:†	,		.	277 49	173 16	32 4	· ·	•	•	3	4 6	3 3	14 .		1 20.8 20 21·2	
Broach Cambay Chalisguon		:		69 4 <u>3</u> 39	49 35 17	36 9 42 3 22 8		:	:		7	• 1	10 , 2 .	. 2	17 3 23 27 8 30 6 6	7
Dhults Godhrs Greater Bom	bay.			105 42 4671	24 32 1921	11 9 39 6 21 4	5	2	· :		2 .	,, ,,	1 2 42	z 85	4 6·9 7 8 7 30 9·2	ž
Jalgacn Kaiyan Kolhapur	•	:	:	91 94 18 9	15 23 136	8 6 12 7 37 4	••	· -	:	13 4 1		. :	I ., I	23 8 9		. <u>3</u>
Malegaon Mira) Nadiad		•		99 48 გი	70 51 32	47·3 55 3 21 1	··· ·			2(1	_		2 .		20 9 14 15·2 26 17·2	I
Nandurbar Nasik Navsari	·	:		39 153 54	18 72 32	24 I 4 30.5	•	· :-		1 1 2	I	3	ι ,. 4	:	11 14 7 27 9:2 0 9.0	7
Pandh ^a rpu r Patan Poona	:	:	:	48 50 9 2 7	31 21 2 05	33 7 31.8 14 1		: ::	:	7 1 5		3 .	4 ···		20 21.7 16 16 6 01 6.9	3
Sangli Satara Sholapur	•	:	•	68 43 333	34 24 146	26 29 22 8	::			 2 16		3	3	ī	2 9 2 5 18 7 00 16 6	
Surat Thana Bhavnagar	•	÷		279 104 177	172 53	32 15 6	• •	••	••	29 5		_	o }		23 22 9 9 5·6	• 3

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently rehable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used:—B.=Births; B. R.=Birth Rate; C.=Cholem; S.=Smallpox, r.=Fiague, F.=Fevers D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantil Deaths (included in total deaths); ...=Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—contd.

					I	Deaths	from :-						
Towns	Mid-year popn. Est (000	В.	B.R *	C.	s.	Р.	F. . E).D, R.	D.	M.D.	Total	D.R.*	I.D.
Bombay—contd.	• •												
Dhoraji	49	21	22.3		٠.	•	2		1	1	6	6.4	2
Jampagar Junasarh	. 143 67	 41	31.8	••	••		17	4	2	τ.	31	24 8	10
Morvi	· 44	Ħ	13				2		3		9	10.6	I
Porbarder Gondal .	. 69	13 32	9·2 38·7	••		• •	9 4	3	5 2	::	31 11	21 · 9 13 · 2	7
Rajkot	. 219	119	28·3				27	1	6		68	16	38
Veraval Surendramagar	. 51	4 8	4·1 7·8	••	••		2	••	2	••	5	4·1 4·9	
Nagpur	. 624	80	6.7	••			25	1	10		102	8.7	38
Achaipur Akola	· 40	42	 81	••	••	••	16	ï			38	16.3	8
Chands	. 46	20	32 6				7	1	2		11	12.4	2
Gondia Hinganghat	. 5 7	14	19 6	••	••	••	4	• •	 	••	11	15 5	3
Khamgaon	48	20	21 7		٠.		3		٠.		6	6.5	1
Wardha Yeotmal	. 53 . 46	26 	25.5		••	::			1	••	8	7.8	ī
Kamptee	. 42				٠.			••					
Amravati Aurrngabad .	. 116	58 5	3.1 59	••	• •	• •	12		3	••	67 6	30 3.8	10
Lathur	· 47	7	7.7				-		2		3	3.3	
Nanded Parbhani	. 98 . 48	3	3.3	••	 	•••	1 2	••	ï	••	3 4	1·6 4·4	••
Jalna	. 84	17	10.2	••	٠,	••	••	• •	٠.	••	I	0.6	••
Total .	11,013	4,563	21.5	• •	4		354	93	376	8	2,273	10.7	652
Madhya	Pradesh		•	v/e 23-	5 -5 9								
Bilaspur Burhanpur Damoh	· 56 87	13 48	12 O 28·6	••	::	••	7 13	.,	1 3	::	17 26	15·5	
Iabaipur Khandwa Raipurt	: 277 65	22 15	4·I 11·8	••		••	 4	••	- •	•••	1 11	0·2 8 6	
Murwarat Sagart													
Chindwara	. 33	τ2	18.9				2	••		•	. 12	18.9	7
Raigarh Itarsi Greater Gwalior	. 4I . 39 . 304	9 5 220	37·6 6·6		••	••	3 1 1	1	••	•	I	1.5	2
	. 304	220	3/-0		• • •	• •	1		1	* *	. 12	2.0	- •
Indore Ratlam† Ujjain†	. 441	213	25.1	•••	I		19	3	36	••	99	11.6	32
Bhopsi City	- 132	54	21.2				4	ı	7	•	. 26	10.5	1
TOTAL .	. 1⊿76	611	21.5		2	•	54	7	48		. 213	3 7.5	42
Madras				w/e 30-	5-59								
Ambur	. 48	33	35.7				2	2	4		τ8	19 5	5
Arrupukottai . Bodinavakunur .	- 64 43	43 34	34 9 41 1		••		5	3 2	3		21	17.1	2
Chidambaram	44	41	18.5				I		2	1			5
Colmbatore Cuddalore	• 77 • 77	237 111	53·5	,	••	-	1	24 I	16 5			21·4 14·9	32 5
Dindigul	. 103	26	13.1				4	I	4		18	9.1	6
Erode . Gobichetipalayam	· 79	102 21	67·1 21· 4	••		••	i	1	1 2		22 5	14·5 5·1	-
Gu fiyatam Kan heepuram Kar ikudi	· 60	64 68	55.5 37.6		••		ĭ	3 5	2 9	2		21·7 19·9	7
YAUT TO ON	49	31	32.9	• •	• •	• •	4	• •	• •	1	13	13.8	

[&]quot;In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used :—B.=Births; B.R.=Birth Rate; C.=Cholera: S.=Smalipon: P=Plague; F.=Fevers, D.D.=Dysentery and Diarrhoca; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; L.D.=Infantile Deaths included in total deaths); ...=Nil-information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—contd.

								De	aths fro	<u> </u>					
To	WII\$		Mid-year opn. Est. (000)	в.	B.R.	c.	s.	P.	P.	D.D.	R.D.	M.D.	Total	D.R.•	I.D.
,	Madre	-cor	ntd.												
Farur . Kumbakonam Madras City .	:	:	60 119 2,110	48 97 1,130	41 · 6 42 · 4 27 · 8	••	 ii	••	1 3 77	1 79	2 :	T 1	7 27 618	6·1 11·8 15·2	2 3 160
Madurai† Mayuram Maliapalayam	:	:	55 44	53 31	36. 6 20. 1	••	::	••	1			: ::	21 8	19·9 9·5	3
Nagapattinam† Nagercoil Ootacumund	:		113 54	71 43	32·7 41·4	. •	2	••	2			ı	18 23	8.3 22.1	2 10
Palni Palayamkottai Periyakulam	•	:	46 50 36	28 77 5 9	85.3 80.1 81.9	••	::	••	I •• 2		3 - 2 -		18 22 13	20·3 22·9 18.8	9 5 7
Pollachi Pudukottel Rajapalayam	•	•	63 5 6 77	58 41 26	47·8 38·1 17·6	 	::	:: ::	 3		т	I 2 I	22 15 8	18·2 13·9 5·4	5 2 5
Salem Srianzam Srivilliputtur	:	• •	293 48 46	τ60 32 42	28 4 34 7 47 - 5	••	••	••	4		I	1 I 4 ··	57 11 17	10.5 11.0	5 2 5
Tanjore Tiruchirappalli Tirunalveli		:	138 285 86	-89 127 74	33·5 23·2 44·7	••	••	••	3 4 2	•		8 1 3 9	37 69 29	13.9 12.6 13.9	4 8 6
Tiruppur Tiruvannamala Tuticorin	i .	:	77 48 1 24	76 48 98	21.1 21.3 21.3	••	::	••		2		5 2 I 3	16 16 46	19·3 19·8	3 4 8
Vaniyambadi Vellore Villapuram			46 147 42	35 160 29	35.8 26.6 39.6	• •		••			12	3 2 2	60	4.2 21.2 18.6	I I4 2
V irudhunagar	•	•	59	107	<i>9</i> 4*3	••	••	••	2	5 1	· .		18	15.9	6
Ţoī	AL	•	5,312	3,700	36.5	1	13	٠.	148	161	286	22	1,535	15.0	360
West	Bonga	1					w/s	23-5-59)						
Asansol† Baidyabati† Bally			<i>7</i> 6	5	3.1	τ		••	3	3	I	••	10	6·9	3
Bankura Bankura	•		52	4	4.0			••	••	••	••	••	9	9.0	••
Bansberia† Baranagar	·	•	103	42	21.3	I	••	• •	••	I	7	••	19	9.6	5
Basirhat Berhampur Bhadreswar	:	:	44 71 45	4 49 5	4.7 36.0 5.8	••	 I	::	··	2	 I 2	::	I 23 3	1·2 16·9 3·5	:4
Bhatpara Burdwan Calcutta			152 87 2,982	28 20 1,224	9·6 12·0 21·4	 37	··· ··	:	14 46	28 	 110	1 3	40 9 679	13.7 5'4 11'9	5 198
Champadani - Cooch-Behar†	•	-	41	14	17.8	••		••	••	I	• •	••	4	2.1	••
Darjeeling	•	•	40	13	16.9	••	••	••	3	• •	ı	••	9	11.7	••
English Bazar Garden Reach Halisahar	•	•	38 134 44	13 6	1·1 1·1	 2 	::	::	3 	 2	3	••	13.	5·I I·2	
Hooghly-Chins Howrah Jalpaiguri†	ura -	:	64 486	68 '132	55·4 14·2	17	••		6 3	2 11 §	-	••	16 120	13·0 12·9	4 28
Kamarhati† Kanchrapara†															••
		•	73	• •	••	••	• •	••	••	I	••	••	I	0.7	••
Midnapur Nabadwip Naihati	· ·	:	47 88 6)	²⁷ 39 7	30·0 23·1 5·3	::		::	7 ••	2 3 	 2 I	ĭ	36 17 6	39·9 4·5	

^{*}In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of Symbols used.—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths included in total deaths;...—Nil information.

[†]Figures not available.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 6th June, 1959—concld.

			Deaths from									
Town	Midyear PopnEst, (000),	B. B.R.•	С.	s.	Р.	P.	ָס,חָ.	R.D.	M.D.	Total	D.R *	I.).
West Bengi	West Bengal—contd.											
North Barrackpore . Panihati . Santipur .	· 37	4 5.6 16 14.6	•••	•••	••							
Schramour	- 57 • 95	16 14·6 44 24·2	4	••	••			••	••	4 22	3 7 12·1	·· 5·
Siliguri† South Dum Dum	. 114	I 0.2				,.				I	0.5	٠.
South Suburban Purulia	. 157 . 36 . 53	8 2·7 20 12·1 6 5·9				1 6 1	2 	4 1		1 I 8 2	3·7 4·9 2·0	3 3
Budge Budge Chandranagore Kharagpur	· 32 · 62 · 87	12 19·6 39 32·8 2 1·2				2 	2 I	 2		6 27	9·8 22·7	I
TOTAL	• 5592	1,853 17.3	63	2	••	100	93	173	6	1097	10.2	261
			***	/a 30-5	- 40							
Asansol	. 99	I 0.2	• •	I	-3 9		••			3	r.6	
Baidyabac ⁱ † Bally	. 76	5 3.4	I		••	1				14	9.6	7
Bankura	. 52	3 3.3		••	••	- •				6	6 o	
Bansberia† Baranagar	. 103	32 16.3	••	••	• •	1	I	3		13	6. 6	3
Basirhat† Berhampur† • • Bhadreswar • •	. 71 • 45	45 33·0 3 3·5	••		••	••		·• τ	••	9 1	5 G	
Bhatpara Burdwan Calcuita	. 152 . 87 . 2,982	24 8·2 15 9·0 1113 19·5	 27		••	2 24	··· 56	1 3 120	 I	14 7 589	4.8 4.2 10-3	12. 157
Champradani Cooch-Behar† Darjeeling	• 41	8 10·2	I	··	·•		••	r		5 6	6·4 7·8	
English Bazar Garden Reach Halisabar	38 . 134 . 44	68 93·3 23 8·9 5 5·9			••	2 3	3	ĭ	 	19 10 3	26·1 3·9 3·5	6 2
Hooghly-Chisura† Howrah Jalpaiguri	486	122 13.1	13			8	12	20	• •	102	109	31
Kamarhati Kanchrapara†	. 119	30 13.1	ĭ		••	2	2	2	7	23	το τ	ĭ
Krishnagar	- 7 3		• •	••	••	••	••	••	••		• •	••
Midnapur Nabadwip Naihati†	· 47	8 8·9 30 17·8	ï	••	••	1 8	ı	:		7 12	7·8 7·1	2
North-Barrackpore Panihati Santipur	. 37 . 76 . 57	2 2·8 22 20·1			••	•••	••		•••	I I	1.4 0.9	
Schrampur Siligurit	• 95 • 114	39 21·4 1 0·5	3	I		4	5	I	••	25	13.7	8
South Dum-Dum South Suburban Titagarh Purulia†	· 114	42 13·9 14 8·5	2	••	••		3	 4 3	••	14 9	4·6 5·5	6 3
Budge Budge . Chandranagore . Kharagpur .	. 32 . 62 . 87	8 13·0 45 37·8		••	••	••	1 4	3	::	5 27	8·1 22·7	2
Тоты	. 5,580	1711 16.0	49	3	••	66	88	164	10	925	8+6	241

^{*}in cases of towns where there has been an abnormal movement of population, it is likely that the population estimated may not be sufficiently reliable for calculating the birth and death rates.

[†]Figures not available.

Explanation of Symbols used '-B.=Births; B.R.=Birth Rate; C.=Cholera, S.—Smallpox; P.=Plague; F. Fevers; D.D.=Dysentery and Diarrhoea; R.D.=kespiratory Diseases; M.D.=Material Deaths; D.R.=Death Rate; I.D. Infantile Peaths (included in total deaths); ..=Nil Information.

REMARKS

The figures of births and deaths shown in this in these towns were statement for week ending 6th June, 1959 relate to 113 towns from the States of Madras, Mysore, Orissa, Pondicherry, Punjab, Rejasthan and Uttar Pradesh with a population of 15,874 thousands out of a total population of 48,772 thousands in 324 towns of the country. The number of births and deaths recorded

in these towns were 7,699 and 3,490 registering birth and death rates of 25.2 and 11.4 per thousand of population respectively.

The following table gives the registered rates for different States:—

States						Current w	r/ c 6-6-59	Corresponding w/e last year		
						B.R.	D.R.	B.k.	D.R	
Madras				•		31.9	12.6	3 6·2	14.8	
Mysore						24.4	10.4	31.0	12.4	
Orissa						38·o	19.1	47.7	24.2	
Pondicherr	y .		-			75.7	16.0	68.1	16.8	
P unjab					-	24'4	9 7	29·I	11.9	
Rjasthan			•		•	9.2	7.6	12.0	15.4	
Uttar Prad	csh	•				21.9	11.6	22.7	14 7	
India	•	-	•			25.2	11.4	29.8	14.3	

New Delhi-2 (India); The 29th June, 1959.

H. R. SHARMA, for Registrar General, India.